NATIONAL PARK SERVICE

Wrangell-St. Elias National Park & Preserve Mile 106.8 Richardson Hwy. P.O. Box 439 Copper Center, AK 99573-0439 907 822 5234

Fall 2022 Fisheries Report Dave Sarafin, Fisheries Biologist

SUMMARY OF KEY UPDATES

- Tanada Creek weir at Batzulnetas documented passage of 29,154 Sockeye Salmon (partial count through September 14), which is above the historical total season count average of 17,520.
- Copper River salmon genetic stock project began this season; details are provided separately in the WRST Resource Stewardship and Science Report.
- Copper River salmon run began weak, then increased in strength as season progressed; harvest opportunities continued throughout the season and it appears likely that sustainable escapement goals will be met.
- Miles Lake sonar provided a season total passage estimate of 785,509 salmon, which is 27% above management objective.
- Upper Copper River Federal subsistence fishery permits; issued were (preliminary numbers): 178 Chitina Subdistrict, 297 Glennallen Subdistict, and 2 Batzulnetas.
- Historical Federal subsistence harvests in the Upper Copper River through 2021 are provided in Tables 1-4.
- New Federal subsistence fishery in the Lower Copper River opened June 1, 69 permits were issued, and total reported harvest for the season was 107 Sockeye Salmon and 3 Chinook Salmon.

FISHERIES RESEARCH AND MONITORING PROJECTS

Tanada Creek Salmon Weir

With funding through the Fisheries Resource Monitoring Program (FRMP), the Wrangell-St. Elias National Park and Preserve (WRST) Fisheries Program operated the Tanada Creek salmon weir located at Batzulnetas. This was the first year of operation since the 2018 season. Weir installation was completed on June 24. The first salmon was documented passing the weir on June 28. As of September 14, there have been 29,154 Sockeye Salmon and 11 Chinook Salmon recorded in passage for the season. The Sockeye Salmon count is above the historical season count average of 17,520, and is the third highest escapement count documented to this system. The timing of these stocks passing the weir was later than normal throughout the season. The weir is scheduled to continue operating through September 22.



Photo of Tanada Creek Salmon Weir and Crew, 2022



Underwater Image of Sockeye Salmon Passing the Tanada Creek Weir, 2022

Upper Yukon Burbot Assessments

The Fisheries Program has one year of FRMP funds remaining to perform a Burbot population assessment project in lakes of the Upper Yukon/Tanana/White River drainages. This project has not been performed during the past three seasons due to limitations of risk mitigation guidelines associated with Covid-19. The project has also been impacted by the loss of a key staffing position within the Fisheries Program that occurred in 2017, after the project began. For the 2023 season, we again hope to complete this project; with a likely destination of Ptarmigan Lake. We are presently exploring possibilities of collaborating with staff of the Alaska Department of Fish and Game (ADFG).

Tracing Mercury in Lake Trout Food Webs

As part of a collaborative project between NPS and the U.S. Geological Survey (USGS), researchers performed field sampling in Copper Lake and Tanada Lake in late June. This study intends to trace Mercury (Hg) in Lake Trout food webs and was prompted by findings of elevated Hg levels in muscle tissue of Lake Trout residing in certain lakes of Alaska parks. One additional lake (yet to be determined) may be sampled in the 2023 field season.


UPPER COPPER RIVER FISHERIES


2022 Copper River Salmon Run Strength and Management Actions

Management actions of the ADFG limited early season commercial fishing opportunities in the Copper River District in response to low numbers of returning salmon at the start of the season. As the run developed, fishing opportunities were expanded during the season. The season total commercial harvest for the Copper River District through August 30 is reported to include 591,987 Sockeye Salmon and 11,629 Chinook Salmon.

The ADFG sonar at Miles Lake (located just downstream of the Million Dollar Bridge in the Copper River) began limited operation of the sonar on May 17 and became fully operational on May 25. The project operated through July 28, providing a season total estimate of 785,509 salmon passing the site. This estimate is 27% above the management objective of 620,039 salmon for that date of the season.

2022Copper River Salmon Passage at Miles Lake Sonar.





^{*}Management objectives are based on historical run-timing to achieve the in-river goal.

Source: http://www.adfg.alaska.gov/index.cfm?adfg=commercialbyareacopperriver.salmon escapement

In-river sonar salmon passage estimates provide the primary assessment of Sockeye Salmon returning to the Copper River. After a relatively slow start, the run improved substantially by early June. For the season, the overall assessment of the in-river salmon run exceeded ADFG management objectives. These objectives are designed to provide harvest opportunities to both Federal subsistence and other State users, as well as to achieve sustainable escapement goal's (SEG's).

As with Sockeye Salmon, fisheries managers monitor assessments of the Chinook Salmon run strength; the primary in-season indicator are data from the Chinook Salmon in-river abundance project operated by the Native Village of Eyak. Additional insight is gained from the recent application of updated technology at the Miles Lake sonar site to provide species apportionment data. Although concerns of a potentially weak Chinook Salmon run existed in early season, which prompted temporary closure of Chinook Salmon retention in the State sport and personal use fisheries (June 20 through June 26), subsequent assessments indicated a stronger run that may have been delayed in timing. Managers believe that the in-river return should meet the lower bound of the SEG. This will be further evaluated post season after the return of harvest reports.

Federal managers monitored run strength indices throughout the season to evaluate the need for appropriate fisheries management actions in the Federal waters of the Copper River Drainage. No Federal Special Action was issued by the in-season manager in the fisheries of the Upper Copper River.

Although Federal actions were not taken, during the period of concern for the Chinook Salmon run, the in-season manager prepared and distributed an advisory announcement intended to inform subsistence users of this potential concern. This announcement was sent to all Upper Copper River District Federal subsistence fishing permit holders with email addresses on record. The announcement requested that users consider voluntarily releasing healthy Chinook Salmon that may be beyond their subsistence needs.

2022 Upper Copper River Federal Subsistence Fishing Season, Permits, and Historical Harvests

The Federal subsistence salmon fisheries of the Upper Copper River were open from May 15 through September 30. Through August 31, WRST has issued 178 Chitina Subdistrict permits, 297 Glennallen Subdistrict permits, and 2 Batzulnetas permits (numbers of permits issued are preliminary until records from remote issuing stations are received). Tables 1 through 4 show historical reported and expanded harvests for the Federal subsistence fisheries in each subdistrict through the 2021 season.

2022 Lower Copper River Federal Subsistence Fishery

In April 2022, the Federal Subsistence Board (Board) adopted a proposal to allow subsistence salmon harvest opportunities in the Lower Copper River near Cordova. The season was adopted to be open from June 1 through September 30. As regulations of this new fishery would not be in effect until later in the year when the Federal Register was published, a Fisheries Special Action Request, was considered and adopted by the Board on May 19 which put these regulations in place temporarily for the 2022 season. This fishery opened on June 1. Permits were made available at the Cordova Ranger Station (Chugach National Forest). Salmon harvest is only allowed in the Copper River within ½ mile of the Copper River Highway, only by dip net or rod and reel, dip netting from boats is prohibited, and all salmon harvest must be reported within 48 hours. Reports are being directed to a drop box at the Cordova Ranger Station. As of August 29, there have been 69 permits issued with in-season reports of 107 Sockeye Salmon and 3 Chinook Salmon harvested. There has been no harvest reported since late-June.

Table 1. Federal Subsistence Fish Harvest in Upper Copper River District, including Harvest by Gear Type¹

		Expa	anded Ha	rvest Estima	tes ²	All Species, Approximate Harvest by Gear Type							
Year	Sockeye	Chinook	Coho	Steelhead /Rainbow Trout	Other Species	Total Harvest	Fish Wheel %	Fish Wheel Total	Dip Net	Dip Net Total	Rod and Reel %	Rod and Reel Total	
2002	10,644	745	100	77	N.A.	11,567							
2003	17,220	687	268	16	N.A.	18,191							
2004	24,035	815	216	15	N.A.	25,082							
2005	24,781	412	55	7	37	25,292							
2006	20,737	507	55	17	37	21,353							
2007	19,107	704	85	7	25	19,928							
2008	14,864	892	268	21	54	16,099							
2009	14,821	590	52	22	36	15,521							
2010	17,050	362	111	46	25	17,594	90.3%	15,882	9.6%	1,687	0.1%	25	
2011	18,201	814	70	6	283	19,373	88.4%	17,130	11.4%	2,205	0.2%	39	
2012	17,146	410	93	45	113	17,806	90.4%	16,092	9.4%	1,670	0.3%	45	
2013	19,988	391	36	8	81	20,503	85.9%	17,614	14.1%	2,889	0.0%	0	
2014	25,513	456	97	14	57	26,138	89.3%	23,328	10.8%	2,810	0.0%	3	
2015	29,157	430	29	15	218	29,849	90.1%	26,900	9.7%	2,883	0.2%	66	
2016	21,106	465	52	6	406	22,035	90.0%	19,820	10.0%	2,197	0.1%	18	
2017	20,243	483	10	8	549	21,294	96.2%	20,478	3.7%	794	0.1%	19	
2018	20,166	2,763	31	4	45	23,008	83.4%	19,189	16.5%	3,801	0.1%	18	
2019	22,093	1,025	22	3	59	23,202	79.0%	18,320	21.0%	4,865	0.1%	16	
2020	16,270	837	26	7	60	17,199	75.9%	13,047	24.1%	4,143	0.1%	9	
2021	19,896	596	3	6	33	20,533	70.8%	14,527	29.2%	6,000	0.0%	6	
2022	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
5-yr. Avg. 2017- 2021	19,733	1,141	18	6	149	21,047	1	17,112	0	3,921	0	14	
10-yr. Avg. 2012- 2021	21,158	786	40	12	162	22,157	1	18,932	0	3,205	0	20	

¹ This table reflects entries to the online database from 2011 through **09/01/2022**. Data prior to 2011 relies on NPS records. Data for all years subject to changes resulting from entry error corrections.

² Expanded Harvest estimate derived from a basic, direct ratio expansion based on the percentage of permits that reported.

Table 2. Glennallen Subdistrict Federal Reported and Expanded Subsistence Fishery Harvests¹

			Soc	keye	Chinook			Coho		ainbow Trou	t Other	Other Species	
Year	Permits Issued	Percentage of Permits Reported		Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Total Harvest Estimate ²						
2002	201	80.6	7,944	9,856	564	700	81	100	62	77	35	43	10,777
2003	221	83.3	13,616	16,346	554	665	152	182	13	16	20	24	17,233
2004	261	78.9	17,704	22,439	636	806	152	193	12	15	12	15	23,468
2005	267	85.8	19,973	23,279	331	386	47	55	6	7	32	37	23,763
2006	254	87.4	16,711	19,120	430	492	28	32	15	17	32	37	19,698
2007	281	84.3	15,225	18,060	569	675	34	40	6	7	21	25	18,808
2008	269	81.4	11,347	13,940	705	866	148	182	17	21	44	54	15,063
2009	274	85.0	11,836	13,925	494	581	34	40	19	22	31	36	14,605
2010	269	87.7	12,849	14,651	300	342	64	73	39	44	22	25	15,136
2011	277	87.7	14,163	16,145	701	799	53	60	5	6	248	283	17,293
2012	275	92.0	14,461	15,718	371	403	78	85	40	43	104	113	16,363
2013	273	89.0	15,834	17,789	331	372	24	27	6	7	62	70	18,264
2014	315	90.5	21,603	23,877	399	441	23	25	10	11	52	57	24,412
2015	325	92.3	24,695	26,753	384	416	13	14	7	8	201	218	27,408
2016	320	82.8	15,884	19,181	369	446	9	11	5	6	332	401	20,044
2017	338	85.2	15,691	18,415	399	468	1	1	7	8	468	549	19,442
2018	335	91.3	15,287	16,736	2,432	2,662	0	0	4	4	41	45	19,448
2019	343	90.1	15,873	17,620	849	942	0	0	3	3	53	59	18,624
2020	376	90.7	11,456	12,632	682	752	0	0	6	7	54	60	13,450
2021	355	85.9	12,632	14,703	419	488	0	0	5	6	28	33	15,229
2022	297	14.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5-yr. Avg. 2017- 2021	349	89	14,188	16,021	956	1,063	0	0	5	6	129	149	17,239
10-yr. Avg. 2012- 2021	- 326	89	16,342	18,342	664	739	15	16	9	10	140	160	19,268

¹ This table reflects entries to the online database from 2011 through **09/01/2022**. Data prior to 2011 relies on NPS records. Data for all years subject to changes resulting from entry error corrections.

² Expanded Harvest estimate derived from a basic, direct ratio expansion based on the percentage of permits that reported.

Table 3. Chitina Subdistrict Federal Reported and Expanded Subsistence Fishery Harvests¹

	,		Soc	keye	Chi	Chinook Coho			Steelhead/Rainbow Trout Other Spe			Species	All Species
Year	Permits Issued	Percentage of Permits Reported	Reported	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Total Harvest Estimate ²
2002	122	73.0	575	788	33	45	0	0	0	0	N.A.	N.A.	833
2003	100	82.0	717	874	18	22	70	85	0	0	N.A.	N.A.	982
2004	109	76.1	1,215	1,597	7	9	18	24	0	0	N.A.	N.A.	1,629
2005	76	84.2	1,265	1,502	22	26	0	0	0	0	0	0	1,529
2006	75	85.3	1,379	1,617	13	15	20	23	0	0	0	0	1,655
2007	98	88.8	929	1,046	26	29	40	45	0	0	0	0	1,120
2008	82	85.4	789	924	22	26	74	87	0	0	0	0	1,036
2009	68	91.2	817	896	8	9	11	12	0	0	0	0	917
2010	92	85.9	2,061	2,399	17	20	33	38	1	1	0	0	2,459
2011	85	85.9	1,766	2,056	13	15	8	9	0	0	0	0	2,081
2012	89	93.3	1,332	1,427	6	6	8	9	1	1	0	0	1,443
2013	99	90.9	1,999	2,199	17	19	8	9	1	1	10	11	2,239
2014	113	94.7	1,549	1,636	14	15	68	72	3	3	0	0	1,726
2015	111	92.8	2,231	2,404	13	14	14	15	7	8	0	0	2,441
2016	128	80.5	1,549	1,925	16	20	33	41	0	0	4	5	1,991
2017	132	79.5	1,454	1,828	12	15	7	9	0	0	0	0	1,852
2018	132	91.7	3,144	3,430	92	100	28	31	0	0	0	0	3,561
2019	181	90.6	4,053	4,473	75	83	20	22	0	0	0	0	4,578
2020	215	89.3	3,249	3,638	76	85	23	26	0	0	0	0	3,749
2021	194	91.8	4,765	5,193	99	108	3	3	0	0	0	0	5,304
2022	178	9.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5-yr. Avg. 2017- 2021	171	88.6	3,333	3,712	71	78	16	18	0	0	0	0	3,809
10-yr. Avg. 2012- 2021	- 139	89.5	2,533	2,815	42	47	21	24	1	1	1	2	2,888

¹ This table reflects entries to the online database from 2011 through **09/01/2022**. Data prior to 2011 relies on NPS records. Data for all years subject to changes resulting from entry error corrections.

² Expanded Harvest estimate derived from a basic, direct ratio expansion based on the percentage of permits that reported.

Table 4. Batzulnetas Federal Reported and Expanded Subsistence Fishery Harvests¹

			Soc	keye	Chi	nook	Other Species		
Year	Permits Issued	Percentage of Permits Reported	Reported Harvest	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	Reported Harvest	Harvest Estimate ²	
2002	1	100.0	208	208	0	0	0	0	
2003	1	100.0	164	164	0	0	0	0	
2004	1	100.0	182	182	0	0	0	0	
2005	1	100.0	0	0	0	0	0	0	
2006	0	N.A.	0	0	0	0	0	0	
2007	1	100.0	1	1	0	0	0	0	
2008	1	100.0	1	1	0	0	0	0	
2009	0	N.A.	0	0	0	0	0	0	
2010	3	100.0	106	106	0	0	0	0	
2011	3	66.7	9	14	0	0	0	0	
2012	3	66.7	101	152	0	0	0	0	
2013	3	100.0	862	862	5	5	12	12	
2014	2	100.0	146	146	0	0	0	0	
2015	4	100.0	0	0	0	0	0	0	
2016	0	N.A.	0	0	0	0	0	0	
2017	1	100.0	254	254	2	2	0	0	
2018	1	100.0	468	468	0	0	0	0	
2019	1	100.0	209	209	0	0	0	0	
2020	1	100.0	67	67	0	0	0	0	
2021	1	100.0	120	120	0	0	0	0	
2022	2	0.0	N/A	N/A	N/A	N/A	N/A	N/A	
5-yr. Avg. 2017- 2021	1	100	224	224	0	0	0	0	
10-yr. Avg. 2012- 2021	2	96	223	228	1	1	1	1	

¹This table reflects entries to the online database from 2011 through **09/01/2022**. Data prior to 2011 relies on NPS records. Data for all years subject to changes resulting from entry error corrections.

² Expanded Harvest estimate derived from a basic, direct ratio expansion based on the percentage of permits that

reported.